


Fig.1



BEST AVAILABLE COPY

Fig. 2A




Fig. 2B




Fig. 2C




Fig. 2D





Fig. 3

REPRESENTED POINTS



SPREAD SHEET

	Acti- vity	S01	S02	S03 ... S50	E01 ... E50
COMPOUND 1	5.1				
COMPOUND 2	6.8				
...					
...					
...					
...					
COMPOUND20					

PLS

STRUCTURE-ACTIVITY RELATIONSHIP FORMULA

$$\text{ACTIVITY} = y + a \times S01 + b \times S02 + \dots + z \times E50$$

Fig. 4

## COMPOUND SET USED FOR VERIFICATION OF 3D QSAR





Fig.5

ISOCONTOUR MAPS OF STERIC CONTRIBUTIONS IN CoMSIA




G: REGIONS WHERE ACTIVITY WILL BE ENHANCED STERICALLY

Y: REGIONS WHERE ACTIVITY WILL BE WEAKENED STERICALLY

Fig. 6

## ISOCONTOUR MAPS OF ELECTROSTATIC CONTRIBUTIONS IN CoMSIA



THICK LINES: REGIONS WHERE POSITIVE CHARGES WILL ENHANCE ACTIVITY



THIN LINES: REGIONS WHERE NEGATIVE CHARGES WILL ENHANCE ACTIVITY

B: REGIONS WHERE POSITIVE CHARGES WILL ENHANCE ACTIVITY

R: REGIONS WHERE NEGATIVE CHARGES WILL ENHANCE ACTIVITY

**Fig.7**

REPRESENTED POINTS ARE GENERATED BASED ON  
ATOMIC COORDINATES OF SUPERPOSED MOLECULES  
(POINTS OF INTERSECTION ARE REPRESENTED POINTS)



## Fig.8

REPRESENTED POINTS ARE GENERATED,  
ADDING NEW POINTS IN CENTRAL PORTION OF RING







Fig.9



Components 2

R<sub>2</sub>: 0.899Q<sub>2</sub>: 0.760

Fig. 10




G: REGIONS WHERE ACTIVITY WILL BE ENHANCED STERICALLY

Y: REGIONS WHERE ACTIVITY WILL BE WEAKENED

(REGIONS WHERE COEFFICIENT

IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.1 OR MORE)

Fig.11



Components 4


R2: 0.915

Q2: 0.528

Electrostatic :0.757

Steric :0.243

Fig.12




G: REGIONS WHERE ACTIVITY WILL BE ENHANCED STERICALLY

Y: REGIONS WHERE ACTIVITY WILL BE WEAKENED

(REGIONS WHERE COEFFICIENT

IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.1 OR MORE)

Fig.13




B: REGIONS WHERE POSITIVE CHARGES WILL ENHANCE ACTIVITY

R: REGIONS WHERE NEGATIVE CHARGES WILL ENHANCE ACTIVITY

(REGIONS WHERE COEFFICIENT

IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.2 OR MORE)

Fig.14



Components 4


R2: 0.984

Q2: 0.822

Electrostatic :0.458

Steric :0.542

Fig.15




G: REGIONS WHERE ACTIVITY WILL BE ENHANCED STERICALLY

Y: REGIONS WHERE ACTIVITY WILL BE WEAKENED

(REGIONS WHERE COEFFICIENT

IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.2 OR MORE)

Fig.16




B: REGIONS WHERE POSITVE CHARGES WILL ENHANCE ACTIVITY

R: REGIONS WHERE NEGATIVE CHARGES WILL ENHANCE ACTIVITY

(REGIONS WHERE COEFFICIENT


IN EACH COLUM × STANDARD DEVIATION IS 0.2 OR MORE)

Fig.17



Components 4  
R2: 0.982  
Q2: 0.798  
Electrostatic :0.500  
Steric :0.500

Fig. 18




G: REGIONS WHERE ACTIVITY WILL BE ENHANCED STERICALLY

Y: REGIONS WHERE ACTIVITY WILL BE WEAKENED

(REGIONS WHERE COEFFICIENT

IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.15 OR MORE)

Fig. 19




B: REGIONS WHERE POSITVE CHARGES WILL ENHANCE  
ACTIVITY

R: REGIONS WHERE NEGATIVE CHARGES WILL ENHANCE  
ACTIVITY

(REGIONS WHERE COEFFICIENT  
IN EACH COLUM  $\times$  STANDARD DEVIATION IS 0.2 OR MORE)

Fig. 20



Components 4


R2: 0.915

Q2: 0.521

Electrostatic :0.783

Steric :0.217

Fig.21




G: REGIONS WHERE ACTIVITY WILL BE ENHANCED STERICALLY

Y: REGIONS WHERE ACTIVITY WILL BE WEAKENED

(REGIONS WHERE COEFFICIENT

IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.1 OR MORE)

Fig. 22




B: REGIONS WHERE POSITIVE CHARGES WILL ENHANCE ACTIVITY

R: REGIONS WHERE NEGATIVE CHARGES WILL ENHANCE ACTIVITY  
(REGIONS WHERE COEFFICIENT

IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.3 OR MORE)

Fig.23



Components 4


R2: 0.976

Q2: 0.741

Electrostatic :0.480

Steric :0.520

Fig. 24




G: REGIONS WHERE ACTIVITY WILL BE ENHANCED STERICALLY

Y: REGIONS WHERE ACTIVITY WILL BE WEAKENED

(REGIONS WHERE COEFFICIENT

IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.3 OR MORE)

Fig. 25




B: REGIONS WHERE POSITIVE CHARGES WILL ENHANCE ACTIVITY

R: REGIONS WHERE NEGATIVE CHARGES WILL ENHANCE ACTIVITY

(REGIONS WHERE COEFFICIENT

IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.3 OR MORE)


Fig. 26



REGIONS LB (LIGHT BLUE) WHERE HYDROPHOBIC INTERACTIONS WILL WEAKEN ACTIVITY (REGIONS WHERE COEFFICIENT IN EACH COLUMN × STANDARD DEVIATION IS 0.02 OR MORE)

Components 1,  $r^2$ : 0.568,  $q^2$ : 0.381


Fig.27



REGIONS LR (ORANGE) WHERE HYDROPHOBIC INTERACTIONS WILL ENHANCE ACTIVITY AND REGIONS LB (LIGHT BLUE) WHERE HYDROPHOBIC INTERACTIONS WILL WEAKEN ACTIVITY (REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.03 OR MORE)

Components 2,  $r^2$ : 0.879,  $q^2$ : 0.707


Fig.28



REGIONS LR (ORANGE) WHERE HYDROPHOBIC INTERACTIONS WILL ENHANCE ACTIVITY AND REGIONS LB (LIGHT BLUE) WHERE HYDROPHOBIC INTERACTIONS WILL WEAKEN ACTIVITY (REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.02 OR MORE)

Components 2,  $r^2$ : 0.666,  $q^2$ : 0.408


Fig.29



REGIONS LR (ORANGE) WHERE HYDROPHOBIC INTERACTIONS WILL ENHANCE ACTIVITY AND REGIONS LB (LIGHT BLUE) WHERE HYDROPHOBIC INTERACTIONS WILL WEAKEN ACTIVITY (REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.03 OR MORE)

Components 2,  $r^2$ : 0.772,  $q^2$ : 0.442


Fig. 30



REGIONS LR (ORANGE) WHERE POSITIVE HASL PARAMETERS WILL ENHANCE ACTIVITY AND REGIONS LB (LIGHT BLUE) WHERE POSITIVE HASL PARAMETERS WILL WEAKEN ACTIVITY (REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.01 OR MORE)

Components 1,  $r^2$ : 0.881,  $q^2$ : 0.747


Fig.31



REGIONS LR (ORANGE) WHERE POSITIVE HASL PARAMETERS WILL ENHANCE ACTIVITY AND REGIONS LB (LIGHT BLUE) WHERE POSITIVE HASL PARAMETERS WILL WEAKEN ACTIVITY (REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.03 OR MORE)

Components 2,  $r^2$ : 0.810,  $q^2$ : 0.534


Fig.32



REGIONS G (GREEN) WHERE ACTIVITY WILL BE ENHANCED STERICALLY  
AND REGIONS Y (YELLOW) WHERE ACTIVITY WILL BE WEAKENED STERICALLY  
(REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION  
IS 0.03 OR MORE)

Components 3,  $r^2$ : 0.847,  $q^2$ : 0.715


Fig.33



REGIONS G (GREEN) WHERE ACTIVITY WILL BE ENHANCED STERICALLY  
AND REGIONS Y (YELLOW) WHERE ACTIVITY WILL BE WEAKENED STERICALLY  
(REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION  
IS 0.01 OR MORE)

Components 2,  $r^2$ : 0.844,  $q^2$ : 0.725


Fig.34



REGIONS G (GREEN) WHERE ACTIVITY WILL BE ENHANCED STERICALLY  
AND REGIONS Y (YELLOW) WHERE ACTIVITY WILL BE WEAKENED STERICALLY  
(REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION  
IS 0.01 OR MORE)

Components 2,  $r^2$ : 0.797,  $q^2$ : 0.698


Fig.35



REGIONS G (GREEN) WHERE ACTIVITY WILL BE ENHANCED STERICALLY  
AND REGIONS Y (YELLOW) WHERE ACTIVITY WILL BE WEAKENED STERICALLY  
(REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION  
IS 0.02 OR MORE)

Components 2,  $r^2$ : 0.781,  $q^2$ : 0.624


Fig. 36



REGIONS G (GREEN) WHERE ACTIVITY WILL BE ENHANCED STERICALLY  
AND REGIONS Y (YELLOW) WHERE ACTIVITY WILL BE WEAKENED STERICALLY  
(REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION  
IS 0.02 OR MORE)

Components 2,  $r^2$ : 0.902,  $q^2$ : 0.806


Fig. 37



REGIONS B (BLUE) WHERE POSITIVE CHARGES WILL ENHANCE ACTIVITY  
AND REGIONS R (RED) WHERE NEGATIVE CHARGES WILL ENHANCE ACTIVITY  
(REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION  
IS 0.03 OR MORE)

Components 4,  $r^2$ : 0.970,  $q^2$ : 0.761


Fig.38



REGIONS B (BLUE) WHERE POSITIVE CHARGES WILL ENHANCE ACTIVITY  
AND REGIONS R (RED) WHERE NEGATIVE CHARGES WILL ENHANCE ACTIVITY  
(REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION  
IS 0.03 OR MORE)

Components 4,  $r^2$ : 0.970,  $q^2$ : 0.776


Fig.39



REGIONS B (BLUE) WHERE POSITIVE CHARGES WILL ENHANCE ACTIVITY  
AND REGIONS R (RED) WHERE NEGATIVE CHARGES WILL ENHANCE ACTIVITY  
(REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION  
IS 0.03 OR MORE)

Components 4,  $r^2$ : 0.949,  $q^2$ : 0.586


Fig. 40



REGIONS B (BLUE) WHERE POSITIVE CHARGES WILL ENHANCE ACTIVITY  
AND REGIONS R (RED) WHERE NEGATIVE CHARGES WILL ENHANCE ACTIVITY  
(REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION  
IS 0.04 OR MORE)

Components 4,  $r^2$ : 0.903,  $q^2$ : 0.579


Fig.41



REGIONS B (BLUE) WHERE POSITIVE CHARGES WILL ENHANCE ACTIVITY  
AND REGIONS R (RED) WHERE NEGATIVE CHARGES WILL ENHANCE ACTIVITY  
(REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION  
IS 0.03 OR MORE)

Components 6,  $r^2$ : 0.983,  $q^2$ : 0.719


Fig.42



REGIONS LR (ORANGE) WHERE HYDROPHOBIC INTERACTIONS WILL ENHANCE ACTIVITY AND REGIONS LB (LIGHT BLUE) WHERE HYDROPHOBIC INTERACTIONS WILL WEAKEN ACTIVITY (REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.02 OR MORE)

Components 2,  $r^2$ : 0.700,  $q^2$ : 0.254


Fig.43



REGIONS LR (ORANGE) WHERE HYDROPHOBIC INTERACTIONS WILL ENHANCE ACTIVITY AND REGIONS LB (LIGHT BLUE) WHERE HYDROPHOBIC INTERACTIONS WILL WEAKEN ACTIVITY (REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.02 OR MORE)

Components 2,  $r^2$ : 0.612,  $q^2$ : 0.171


Fig. 44



REGIONS LR (ORANGE) WHERE HYDROPHOBIC INTERACTIONS WILL ENHANCE ACTIVITY AND REGIONS LB (LIGHT BLUE) WHERE HYDROPHOBIC INTERACTIONS WILL WEAKEN ACTIVITY (REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.02 OR MORE)

Components 2,  $r^2$ : 0.666,  $q^2$ : 0.408


Fig.45



REGIONS LR (ORANGE) WHERE HYDROPHOBIC INTERACTIONS WILL ENHANCE ACTIVITY AND REGIONS LB (LIGHT BLUE) WHERE HYDROPHOBIC INTERACTIONS WILL WEAKEN ACTIVITY (REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.04 OR MORE)

Components 4,  $r^2$ : 0.934,  $q^2$ : 0.705


Fig. 46



REGIONS LR (ORANGE) WHERE HYDROPHOBIC INTERACTIONS WILL ENHANCE ACTIVITY AND REGIONS LB (LIGHT BLUE) WHERE HYDROPHOBIC INTERACTIONS WILL WEAKEN ACTIVITY (REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.03 OR MORE)

Components 3,  $r^2$ : 0.924,  $q^2$ : 0.741


Fig. 47



REGIONS LR (ORANGE) WHERE HYDROPHOBIC INTERACTIONS WILL ENHANCE ACTIVITY AND REGIONS LB (LIGHT BLUE) WHERE HYDROPHOBIC INTERACTIONS WILL WEAKEN ACTIVITY (REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.02 OR MORE)

Components 5,  $r^2$ : 0.950,  $q^2$ : 0.744


Fig.48



REGIONS B (BLUE) WHERE POSITIVE CHARGES WILL ENHANCE ACTIVITY  
AND REGIONS R (RED) WHERE NEGATIVE CHARGES WILL ENHANCE ACTIVITY  
(REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION  
IS 0.02 OR MORE)


Components 2,  $r^2$ : 0.796,  $q^2$ : 0.411

Fig. 49



REGIONS G (GREEN) WHERE ACTIVITY WILL BE ENHANCED STERICALLY  
AND REGIONS Y (YELLOW) WHERE ACTIVITY WILL BE WEAKENED STERICALLY  
(REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION  
IS 0.02 OR MORE)

Fig.50



REGIONS LR (ORANGE) WHERE HYDROPHOBIC INTERACTIONS WILL ENHANCE ACTIVITY AND REGIONS LB (LIGHT BLUE) WHERE HYDROPHOBIC INTERACTIONS WILL WEAKEN ACTIVITY (REGIONS WHERE COEFFICIENT IN EACH COLUMN  $\times$  STANDARD DEVIATION IS 0.03 OR MORE)

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**